

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

4305 - Ambientador CODINA "París nuit"

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

4305 - Ambientador CODINA "París nuit"

Other means of identification:

XR10-102U-600T-2RWX

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Productos Codina, S. A. c/Solís, 51 08301 Mataró - Barcelona - Spain Phone: +34 937901119 - Fax: +34 937962903 productos@codina.es www.codina.es

1.4 Emergency telephone number: Servicio Médico de Información Toxicológica Tel. 915620420

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 3: Flammable liquids, Category 3, H226

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning



Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour.

Precautionary statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Supplementary information:

EUH208: Contains 4-tert-butylcyclohexyl acetate, Linalyl acetate . May produce an allergic reaction.

UFI: XR10-102U-600T-2RWX

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

** Changes with regards to the previous version



4305 - Ambientador CODINA "París nuit"

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Chemical description: Aqueous solution of tensoactives

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	67-63-0	propan-2-ol 1		ATP CLP00	
EC: Index: REACH:	200-661-7 603-117-00-0 01-2119457558-25- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger		5 - <20 %
CAS:	115-95-7	Linalyl acetate 1		Self-classified	
EC: 204-116-4 Index: Non-applicabl REACH: 01-21194547 XXXX	Non-applicable 01-2119454789-19-	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	$\langle \mathbf{\hat{b}} \rangle$	0,1 - <0,3 %
CAS:	1222-05-5 214-946-9 603-212-00-7 01-2119488227-29- XXXX	1,3,4,6,7,8-hexahyd	ro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ¹	ATP ATP01	
Index: REACH:		Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	Ł	0,1 - <0,3 %
CAS:	32210-23-4 250-954-9 Non-applicable 01-2119976286-24- XXXX	4-tert-butylcyclohex	yl acetate 1	Self-classified	
Index: REACH:		Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	\$	0,1 - <0,3 %
CAS:	101-84-8	Diphenyl ether ²		Self-classified	
EC: Index: REACH:	202-981-2 Non-applicable 01-2119472545-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	()	<0,0025 %

Substances presenting a mean of environmental na
 Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable





SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



4305 - Ambientador CODINA "París nuit"

SECTION 7: HANDLING AND STORAGE (continued)

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Maximum Temp.: 30 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Οςςι	pational expos	sure limits	
Diphenyl ether		IOELV (8h)	1 ppm	7 mg/m ³
CAS: 101-84-8	EC: 202-981-2	IOELV (STEL)	2 ppm	14 mg/m ³

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m ³	Non-applicable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	36,7 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	13,5 mg/m ³	Non-applicable
Diphenyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 101-84-8	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
EC: 202-981-2	Inhalation	Non-applicable	14 mg/m ³	59 mg/m ³	7 mg/m ³
DNEL (General population):					

- CONTINUED ON NEXT PAGE -./2013 Revised: 26/01/2023



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m ³	Non-applicable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran	Oral	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	4 mg/m ³	Non-applicable

Identification				
propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c] pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Non-applicable	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg
4-tert-butylcyclohexyl acetate	STP	12,2 mg/L	Fresh water	0,0053 mg/L
CAS: 32210-23-4	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
EC: 250-954-9	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	0,06667 g/kg	Sediment (Marine water)	0,21 mg/kg
Diphenyl ether	STP	10 mg/L	Fresh water	0 mg/L
CAS: 101-84-8	Soil	0,018 mg/kg	Marine water	0 mg/L
EC: 202-981-2	Intermittent	0,005 mg/L	Sediment (Fresh water)	0,093 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,009 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks			
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.			
As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with							

total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



Pictogram							
-	PPE	Labelling	CEN Standard	Remarks			
Mandatory face protection		CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according the manufacturer´s instructions. Use if there i risk of splashing.			
protection							
Pictogram	PPE	Labelling	CEN Standard	Remarks			
	Work clothing	CATI		Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulati in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.			
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulati in EN ISO 20345:2012 y EN 13832-1:2007			
ional emerger	ncy measures						
Emergency meas	sure	Standards	Emergency measu	ure Standards			
Emergency show	ISO 3864-1:2	NSI Z358-1 2011, ISO 3864-4:2011	Eyewash station	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011			
Environmental exposure controls:							
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds:							
lance	with the	with the community legislation	with the community legislation for the protection h the product and its container. For additional info	with the community legislation for the protection of the environment it h the product and its container. For additional information see subsection			

V.O.C. (Supply):	31,39 % weight
V.O.C. density at 20 °C:	298,16 kg/m ³ (298,16 g/L)
Average carbon number:	2,44
Average molecular weight:	52,16 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Transparent
	Colour:	Amber
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	93 °C
	Vapour pressure at 20 °C:	2879 Pa
	Vapour pressure at 50 °C:	14744,99 Pa (14,74 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.
1		

- CONTINUED ON NEXT PAGE -



	Product description:	
	Density at 20 °C:	940 - 960 kg/m³
	Relative density at 20 °C:	0,941
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	5 - 9
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	29 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	202 °C
	Lower flammability limit:	Not available
	Upper flammability limit:	Not available
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

- CONTINUED ON NEXT PAGE -



4305 - Ambientador CODINA "París nuit"

SECTION 10: STABILITY AND REACTIVITY (continued)									
Shock and friction Contact with air Increase in temperature Sunlight Humidity									
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable				
10.5 Incompatible materials:									
	Acids	Water	Oxidising materials	Combustible materials	Others				
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases				

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO), carbon monoxide and other organic compounds

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: ethanol (1); propan-2-ol (3); d-limonene (3); Coumarin (3)
 Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

** Changes with regards to the previous version



SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	>20 mg/L	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LD50 oral	>2000 mg/kg	
CAS: 1222-05-5	LD50 dermal	>2000 mg/kg	
EC: 214-946-9	LC50 inhalation	>20 mg/L	
4-tert-butylcyclohexyl acetate	LD50 oral	3370 mg/kg	
CAS: 32210-23-4	LD50 dermal	>2000 mg/kg	
EC: 250-954-9	LC50 inhalation	>20 mg/L	
Diphenyl ether	LD50 oral	>5000 mg/kg	Rat
CAS: 101-84-8	LD50 dermal	7940 mg/kg	Rabbit
EC: 202-981-2	LC50 inhalation	>5 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus	
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae	
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish	
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish	
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	

12.2 Persistence and degradability:

Substance-specific information:

** Changes with regards to the previous version



4305 - Ambientador CODINA "París nuit"

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	De	gradability	Biodegradability	
propan-2-ol	BOD5	1,19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2,23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0,53	% Biodegradable	86 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %
Diphenyl ether	BOD5	Non-applicable	Concentration	5.6 mg/L
CAS: 101-84-8	COD	Non-applicable	Period	20 days
EC: 202-981-2	BOD5/COD	Non-applicable	% Biodegradable	76 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bi	Bioaccumulation potential		
propan-2-ol	BCF	3		
CAS: 67-63-0	Pow Log	0.05		
EC: 200-661-7	Potential	Low		
Linalyl acetate	BCF	174		
CAS: 115-95-7	Pow Log	3.9		
EC: 204-116-4	Potential	High		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584		
CAS: 1222-05-5	Pow Log	5.9		
EC: 214-946-9	Potential	Very High		
Diphenyl ether	BCF	196		
CAS: 101-84-8	Pow Log	4.21		
EC: 202-981-2	Potential	High		

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m ³ /mol	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes	
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes	
Linalyl acetate	Кос	518	Henry	177 Pa·m³/mol	
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes	
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes	
Diphenyl ether	Кос	1960	Henry	Non-applicable	
CAS: 101-84-8	Conclusion	Low	Dry soil	Non-applicable	
EC: 202-981-2	Surface tension	1,753E-2 N/m (258,4 ⁰C)	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

- CONTINUED ON NEXT PAGE -

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

	14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN1993 FLAMMABLE LIQUID, N.O.S. (ethanol) 3 3 III No
		Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	274, 601 D/E see section 9 5 L
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of da	ngero	us goods by sea:	
With regard to IM	1DG 40	-20:	
		UN number or ID number:	UN1993
		UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (ethanol)
Jele .	14.3	Transport hazard class(es):	3
		Labels:	3
		Packing group:	III
3		Marine pollutant:	No
•	14.0	Special precautions for user Special regulations:	274, 223, 955
		EmS Codes:	F-E, S-E
		Physico-Chemical properties:	see section 9
		Limited quantities:	5 L
		Segregation group:	Non-applicable
	14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of da	ngero	us goods by air:	
With regard to IA	TA/ICA	0 2022:	



4305 - Ambientador CODINA "París nuit"

SECTION 14: TRANSPORT INFORMATION (continued)							
	14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN1993 FLAMMABLE LIQUID, N.O.S. (ethanol) 3 3 III No				
		Physico-Chemical properties:	see section 9 Non-applicable				

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c	FLAMMABLE LIQUIDS	5000	50000

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

- CONTINUED ON NEXT PAGE -



SECTION 16: OTHER INFORMATION (continued)

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): New declared substances Diphenyl ether (101-84-8) 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (1222-05-5) 4-tert-butylcyclohexyl acetate (32210-23-4) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Substances contained in EUH208: New declared substances 4-tert-butylcyclohexyl acetate (32210-23-4) Texts of the legislative phrases mentioned in section 2: H319: Causes serious eye irritation. H226: Flammable liquid and vapour. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H336 - May cause drowsiness or dizziness. **Classification procedure:** Eye Irrit. 2: Calculation method Flam. Liq. 3: Calculation method (2.6.4.3) Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -